

LENOX® LUMBERWOLF™ RECIPROCATING SAW BLADES

CUT THROUGH WOOD WITH NAILS WITH EASE

Blade thickness and profile are ideal for cutting through dense wood with nails



PLUNGE CUT WITH EASE

Blade tip designed for easy, quick, and clean plunge cutting



**For LENOX blades with this feature, refer to product packaging or go to www.lenoxtools.com
Applies to LUMBERWOLF™ blade models except for 634R and 676RC.



RELIABLY AGGRESSIVE CUTTING

High-speed steel cutting edge and spring steel backing helps strengthen the blade, reduce breaks, and provides durability for long blade life

TPI	LENGTH X WIDTH X THICKNESS		1-PACK	5-PACK	25-PACK	50-PACK	RAPID PLUNGE	APPLICATION
	IN	MM	PROD NO	PROD NO	PROD NO	PROD NO		
4	4 X 3/4 X .050	102 X 19 X 1.3	20574S634R	20575634R	-	-	-	Fast Wood
6	6 X 7/16 X .050	152 X 11 X 1.3	-	20556676RC	-	-	-	Nail-Embedded Wood
6	6 X 3/4 X .050	152 X 19 X 1.3	20573S656R	20572656R	20530B656R	227500SB656R	**	Nail-Embedded Wood
6	9 X 3/4 X .050	229 X 19 X 1.3	20587S956R	20582956R	20558B956R	227520SB956R	**	Nail-Embedded Wood
6	12 X 3/4 X .050	305 X 19 X 1.3	20586S156R	20585156R	20495B156R	227550SB156R	**	Nail-Embedded Wood

BI-METAL CONSTRUCTION

Durable and flexible to survive nail strikes

FLEAM GROUND TOOTH FORM

Fast, clean wood cutting



IDEAL FOR CLEAN WOOD, PLASTIC PIPE AND TREE PRUNING

TPI	LENGTH X WIDTH X THICKNESS		5-PACK	APPLICATION
	IN	MM	PROD NO	
6	6 X 3/4 X .050	152 X 19 X 1.3	121016W6R	Clean Wood, Plastics, Pruning
6	8 X 3/4 X .050	229 X 19 X 1.3	121029W6R	Clean Wood, Plastics, Pruning
6	6 X 3/4 X .050	152 X 19 X 1.3	20570636RP*	Drywall/Plaster

*Blade does not have fleam ground toothform

LENOX DIAMOND™ & CARBIDE GRIT RECIPROCATING SAW BLADES

LASTS LONGER

Nickel alloy-brazed lab-made diamond particles maintain sharpness to keep cutting after conventional carbide grit blades fail



STRAIGHT, CLEAN CUTS

Unlike bulky snap cutters which crush pipes and leave ragged, uneven cuts, LENOX DIAMOND™ cuts clean. Durable chrome alloy backing steel provides extra stability



LENGTH X WIDTH X THICKNESS		1-PACK	APPLICATION
IN	MM	PROD NO	
8 X 3/4 X .040	203 X 19 X 1.00	10833800RDG	Cast Iron, Tile, Brick and Natural Stone
9 X 3/4 X .042	225 X 19 X 1.07	1766338	Cast Iron, Tile, Brick and Natural Stone
11 X 3/4 X .042	275 X 19 X 1.07	1766356	Cast Iron, Tile, Brick and Natural Stone

HIGH PERFORMANCE IN ABRASIVE MATERIALS

Cuts through tough materials that resist chip-forming, including ceramics, pipe, man-made stone, brick, marble and more

SMOOTH, QUICK CUTS

Uniformly applied, durable carbide grit particles on a flexible blade provide quicker cuts without snagging or binding



LENGTH X WIDTH X THICKNESS		1-PACK	APPLICATION
IN	MM	PROD NO	
6 X 3/4 X .032	152 X 19 X .8	20505600RG	Fiberglass, Ceramic, Tile, Cultured Marble, Clays, Brick
8 X 3/4 X .040	203 X 19 X 1	20576800RG	Fiberglass, Ceramic, Tile, Cultured Marble, Clays, Brick
10 X 3/4 X .050	254 X 19 X 1.3	20506100RG	Fiberglass, Ceramic, Tile, Cultured Marble, Clays, Brick

†This blade uses manufactured nickel alloy-brazed lab-made diamond particles engineered for cutting